

ESSENCE LIGHT SUNSCREEN SPF 50 PA- avobenzone, homosalate, octisalate, octocrylene lotion
ENGLEWOOD LAB, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ESSENCE LIGHT SUNSCREEN SPF 50 PA +++

Drug Facts

Active Ingredients

Avobenzone 3.0%

Homosalate 9.0%

Octisalate 4.5%

Octocrylene 5.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only.**

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating:
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.– 2 p.m.

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water (Aqua), Dipropylene Glycol, Methyl Methacrylate Crosspolymer, Glyceryl Polymethacrylate, Propylene Glycol, Butyloctyl Salicylate, Cetearith-20, Ethylhexyl Methoxycrylene, Acrylates Copolymer, Galactomyces Ferment Filtrate, Saccharomyces Ferment Filtrate, Ceramide NP, Hydrolyzed Hyaluronic Acid, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate crosspolymer, Potassium Hyaluronate, Panax Ginseng Root Extract, Sorbitan Oleate, Polysorbate 60, Sorbitan Stearate, Caprylyl Glycol, Cetearyl Olivat, Panthenol, Sodium Hyaluronate, Glycerin, Sorbitan Olivat, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tromethamine, Sodium Acrylate/ Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Ammonium Acryloyldimethyltaurate/ VP Copolymer, 1,2-Hexanediol, BHT, Ethylhexylglycerin, Polysorbate 80, Trisodium Ethylenediamine Disuccinate, Xanthan Gum, Butylene Glycol, Caprylic/ Capric Triglyceride, Hydroxypropyltrimonium Hyaluronate, Potassium Sorbate, Hydrogenated Lecithin, Sodium Benzoate, Octyldodecanol

Package Labeling:10ml

ESSENCE LIGHT SUNSCREEN

Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**Ceramides • Ferment Filtrate
Hyaluronic Acid • Vitamin B**

Lightweight, fragrance-free moisturizer infused with essence-based fermented ingredients and hydrators, and includes Broad Spectrum SPF 50 protection.

Drug Facts

Active Ingredients	Purpose
Avobenzone	3.0%
Homosalate	9.0%
Octisalate	4.5%
Octocrylene	5.0%
Sunscreen	

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

thenimetyou.com
Dist. by: Then I Met You LLC
Brooklyn, NY 11202 Made in Korea

Drug Facts (continued)

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating:
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water (Aqua), Dipropylene Glycol, Methyl Methacrylate Crosspolymer, Glyceryl Polymethacrylate, Propylene Glycol, Butyloctyl Salicylate, Ceteareth-20, Ethylhexyl Methoxycrylene, Acrylates Copolymer, Galactomyces Ferment Filtrate, Saccharomyces Ferment Filtrate, Ceramide NP, Hydrolyzed Hyaluronic Acid, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Potassium Hyaluronate, Panax Ginseng Root Extract, Sorbitan Oleate, Polysorbate 60, Sorbitan Stearate, Caprylyl Glycol, Cetearyl Oliviate, Panthenol, Sodium Hyaluronate, Glycerin, Sorbitan Oliviate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tromethamine, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Ammonium Acryloyldimethyltaurate/VP Copolymer, 1,2-Hexanediol, BHT, Ethylhexylglycerin, Polysorbate 80, Trisodium Ethylenediamine Disuccinate, Xanthan Gum, Butylene Glycol, Caprylic/Capric Triglyceride, Hydroxypropyltrimonium Hyaluronate, Potassium Sorbate, Hydrogenated Lecithin, Sodium Benzoate, Octyldodecanol

*Then I
Met
You®*



Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**ESSENCE LIGHT
SUNSCREEN**

10mL e 0.33 fl oz

It was all so dull,
I used to rush,
I was looking for purpose,

Then I Met You.

Now is the time to go deeper.
It starts with cultivating jeong,
a deep and meaningful
connection that encourages
empathy and generosity.
Jeong takes time to build,
but when you feel it, you know.

We also make quality skin care.

**WHAT I
LEARNED
IN KOREA,
IS THAT
BEAUTY
HAS LAYERS**

12M
10S
Please recycle
outer box.



Then I
Met
You®



Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**ESSENCE LIGHT
SUNSCREEN**

10mL e 0.33 fl oz

Ceramides
Ferment Filtrate
Hyaluronic Acid
Vitamin B

ACTIVE INGREDIENTS:

Avobenzone 3.0%
Homosalate 9.0%
Octisalate 4.5%
Octocrylene 5.0%

Lightweight Moisturizer + SPF 50 PA+++

Directions: Apply an even layer onto
your face and neck using your fingertips.
For use 15 minutes before sun exposure
and reapply as needed.

Refer to Drug Facts on the box
for complete directions and warnings.

For external use only. Do not use on
damaged or broken skin. When using
this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or
contact a Poison Control Center right away.

thenImetyou.com

Dist. by: Then I Met You LLC
Brooklyn, NY 11202

Made In Korea



Package Labeling: 50ml

ESSENCE LIGHT SUNSCREEN

Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**Ceramides • Ferment Filtrate
Hyaluronic Acid • Vitamin B**

Lightweight, fragrance-free moisturizer
infused with essence-based fermented
ingredients and hydrators, and includes
Broad Spectrum SPF 50 protection.

Drug Facts

Active Ingredients		Purpose
Avobenzone	3.0%	Sunscreen
Homosalate	9.0%	
Octisalate	4.5%	
Octocrylene	5.0%	

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If swallowed, get medical help or contact
a Poison Control Center right away.

thenimetyou.com
Dist. by: Then I Met You LLC
Brooklyn, NY 11202 Made in Korea

Drug Facts (continued)

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating:
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months of age:
 - Ask a doctor
- Sun Protection Measures:
 - Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.

Other Information

- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water (Aqua), Dipropylene Glycol, Methyl Methacrylate Crosspolymer, Glyceryl Polymethacrylate, Propylene Glycol, Butyloctyl Salicylate, Ceteareth-20, Ethylhexyl Methoxycrylene, Acrylates Copolymer, Galactomyces Ferment Filtrate, Saccharomyces Ferment Filtrate, Ceramide NP, Hydrolyzed Hyaluronic Acid, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Potassium Hyaluronate, Panax Ginseng Root Extract, Sorbitan Oleate, Polysorbate 60, Sorbitan Stearate, Caprylic Glycol, Cetearyl Oliviate, Panthenol, Sodium Hyaluronate, Glycerin, Sorbitan Oliviate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isobutyladecanoate, Aminomethyl Acryloyldimethyl Itaurate/VP Copolymer, 1,2-Hexanediol, BHT, Ethylhexylglycerin, Polysorbate 80, Triethanol Ethylhexanediol Disuccinate, Xanthan Gum, Butylene Glycol, Caprylic/Capric Triglyceride, Hydroxypropyltrimonium Hyaluronate, Potassium Sorbate, Hydrogenated Lecithin, Sodium Benzoate, Octyldodecanol

Then I
Met
You®



Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**ESSENCE LIGHT
SUNSCREEN**

50mL e 1.69 fl oz

It was all so dull,
I used to rush,
I was looking for purpose,

Then I Met You.

Now is the time to go deeper.
It starts with cultivating Jeong,
a deep and meaningful connection that
encourages empathy and generosity.
Jeong takes time to build, but when you
feel it, you know.

We also make quality skin care.

Please recycle
outer box.



WHAT I
LEARNED
IN KOREA,
IS THAT
BEAUTY
HAS LAYERS

Then I
Met
You®



Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**ESSENCE LIGHT
SUNSCREEN**

50mL e 1.69 fl oz

Ceramides
Ferment Filtrate
Hyaluronic Acid
Vitamin B

Lightweight Moisturizer + SPF 50 PA+++

ACTIVE INGREDIENTS:

Avobenzene 3.0%
Homosalate 9.0%
Octisalate 4.5%
Octocrylene 5.0%

Directions: Apply an even layer onto
your face and neck using your fingertips.
For use 15 minutes before sun exposure
and reapply as needed. Refer to Drug Facts on
the box for complete directions and warnings.

For external use only. Do not use on damaged or
broken skin. When using this product keep out of
eyes. Rinse with water to remove. Stop use and
ask a doctor if rash occurs. Keep out of reach of
children. If swallowed, get medical help or
contact a Poison Control Center right away.

See box or thenimetyou.com
for complete ingredient list.

thenimetyou.com
Dist. by: Then I Met You LLC
Brooklyn, NY 11202

Made in Korea



ESSENCE LIGHT SUNSCREEN SPF 50 PA

avobenzene, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14268-119
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
CERAMIDE NP (UNII: 4370DF050B)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
HYALURONIC ACID (UNII: S270N0TRQY)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
PEG-6 SORBITAN OLEATE (UNII: 58O7V09UCI)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
PANTHENOL (UNII: WW9CM0O67Z)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
TROMETHAMINE (UNII: 023C2WHX2V)	
SODIUM ACRYLATE (UNII: 7C98FKB43H)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
AMMONIUM ACRYLOYLDIMETHYLTaurate (UNII: KBC00G95HI)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
OCTYLDODECANOL (UNII: 461N1O614Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14268-119-50	50 mL in 1 TUBE; Type 0: Not a Combination Product	03/01/2023	
2	NDC:14268-119-10	10 mL in 1 TUBE; Type 0: Not a Combination Product	03/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph not final	part352	03/01/2023	
----------------------------	---------	------------	--

Labeler - ENGLEWOOD LAB, INC. (172198223)

Revised: 5/2023

ENGLEWOOD LAB, INC.